

前言



目 录

1.安全验收评价范围与依据	1
1.1 评价对象和范围	1
1.2 评价依据	3
2.建设项目概况	9
2.1 建设单位概况	9
2.2 自然环境概况	10
2.3 地质概况	12
2.4 建设概况	15
3.隐患治理符合性评价	26
3.1 边坡隐患治理单元	26
3.2 开拓运输单元	27
3.3 防排水单元	28
3.4 其他内容单元	29
4.安全对策措施建议	30
5.评价结论	31
附 件	32
附 图	32

1. 安全验收评价范围与依据

1.1 评价对象和范围

Term	Percentage
GMOs	~75%
Organic	~85%
Natural	~80%
Artificial	~65%
Organic	~85%
Natural	~80%
Artificial	~65%
Organic	~85%
Natural	~80%
Artificial	~65%

A black and white graphic consisting of a grid of 16 horizontal lines. The grid is divided into four vertical sections by thick black bars. The first section contains two short black bars at the top. The second section contains one short black bar at the top. The third section contains one short black bar at the top. The fourth section contains no bars at the top. A thick black bar runs across the bottom of the grid.

A large black rectangular redaction box covers the top portion of the page, followed by a smaller black rectangular redaction box below it.

A 6x6 grid of black squares on a white background. The grid consists of 36 individual squares arranged in a 6-row by 6-column pattern. Each square is solid black and has a uniform size. The entire grid is centered on a white background.

A 10x10 grid of black squares on a white background. The first column contains 10 squares. The second column contains 9 squares. The third column contains 8 squares. The fourth column contains 7 squares. The fifth column contains 6 squares. The sixth column contains 5 squares. The seventh column contains 4 squares. The eighth column contains 3 squares. The ninth column contains 2 squares. The tenth column contains 1 square.

1.2 评价依据

1.2.1 法律法规

Page 1

Term	Percentage
GMOs	~95%
Organic	~90%
Natural	~85%
Artificial	~75%
Organic	~70%
Natural	~65%
Artificial	~60%
Organic	~55%
Natural	~50%
Artificial	~45%

1.2.2 行政法规

A series of 20 horizontal black bars of varying lengths, arranged vertically from top to bottom. The bars are of different widths, creating a visual pattern of alternating long and short segments.

Topic	Percentage
Healthcare	95%
Finance	92%
Technology	88%
Politics	85%
Science	82%
Art	78%
Sports	75%
Culture	72%
Food	68%
Entertainment	65%
Business	62%
Environment	58%
History	55%
Geography	52%
Literature	48%
Mathematics	45%
Physics	42%
Chemistry	38%
Biology	35%
Music	32%
Drama	28%
Painting	25%
Sculpture	22%
Photography	18%
Literary criticism	15%
Philosophy	12%
Religion	10%
Astronomy	8%
Geology	5%
Botany	3%
Zoology	2%
Physics	1%
Chemistry	0.5%
Biology	0.2%
Mathematics	0.1%
Other	0.1%

1.2.3 规范、标准

A series of seven horizontal black bars of varying lengths, decreasing from left to right. The first bar is the longest, followed by a shorter one, then a long one, a medium one, a very long one, a short one, and finally the shortest one on the far right.

A series of horizontal black bars of varying lengths, arranged vertically. The bars are of different widths and heights, creating a pattern of alternating short and long segments.

1.2.3 建设项目技术资料

2. 建设项目概况

2.1 建设单位概况

2.1.1 企业简介及项目背景

A series of 15 horizontal black bars of varying lengths, arranged vertically from top to bottom. The bars are of different widths, with some being relatively short and others being very long, creating a visual pattern of horizontal stripes.

2.1.2 地理位置及交通

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]



图 2-1 矿区交通位置图

2.1.3. 矿区周边环境



Category	Sample Count
0	100
1	0
2	0
3	0
4	0
5	1
6	100
7	100
8	100
9	100

2.2 自然环境概况

2.3 地质概况

2.3.1 边坡隐患治理区地质概况

2.3.2 边坡隐患治理区水文地质条件

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

A series of horizontal black bars of varying lengths, arranged vertically. The bars are of different widths and heights, creating a pattern of alternating long and short segments.

2.3.3 边坡隐患治理区工程地质条件

2.4 建设概况

2.4.1 治理区情况概况

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

2.4.2 隐患治理方案概况

2.4.2.1 设计边坡隐患治理区境界参数

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

2.4.2.2 边坡隐患治理工艺

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

2.4.2.3 治理顺序

[REDACTED]

[REDACTED]

[REDACTED]

2.4.2.4 边坡隐患治理区开拓运输

[REDACTED]

[View Details](#)

ANSWER The answer is (A). The first two digits of the number 12345678901234567890 are 12.

ANSWER The answer is (A) $\frac{1}{2} \ln(1 + x^2)$.

ANSWER The answer is (A). The first two digits of the number 1234567890 are 12.

ANSWER The answer is (A) $\frac{1}{2} \ln(1 + x^2)$.

ANSWER The answer is (A). The first two digits of the number 1234567890 are 12.

1

ANSWER The answer is (A). The first two digits of the number 12345678901234567890 are 12.

[View Details](#)

2.4.2.5 治理工艺

[View Details](#) | [Edit](#) | [Delete](#)

[Privacy Policy](#) | [Terms of Use](#) | [Help](#) | [Feedback](#)

REVIEW ARTICLE | [View article online](#)

REVIEW ARTICLE | [View article online](#)

REVIEW ARTICLE | [View article online](#)

[View Details](#) | [Edit](#) | [Delete](#)

ANSWER The answer is (A). The first two digits of the number 1234567890 are 12.

[Privacy Policy](#) | [Terms of Use](#) | [Help](#) | [Feedback](#)

ANSWER The answer is (A). The first two digits of the number 1234567890 are 12.

ANSWER **QUESTION** **ANSWER** **QUESTION** **ANSWER**

[REDACTED]

REVIEW ARTICLE

 [REDACTED]

© 2013 Pearson Education, Inc.

[View Details](#) | [Edit](#) | [Delete](#)

A series of nine horizontal black bars of varying lengths, decreasing from left to right. The first bar is the longest, followed by a shorter one, then a longer one, then another shorter one, and so on, creating a visual pattern of alternating lengths.

2.4.2.6 边坡监测

Term	Percentage
GMOs	~85%
Organic	~80%
Natural	~75%
Artificial	~65%
Organic	~60%
Natural	~55%
Artificial	~50%
Organic	~45%
Natural	~40%
Artificial	~35%

2.4.2.7 东测警戒墙

[REDACTED]

2.4.2.8 防排水


[REDACTED]

[REDACTED]

[REDACTED]

2.4.2.9 安全管理

The image consists of a vertical column of approximately 20 horizontal black bars. These bars vary in length, creating a visual pattern. Some bars are relatively short, while others are much longer, extending across most of the page width. The bars are evenly spaced vertically, suggesting they might be redacted text or part of a decorative design.



2.4.3 建设情况



图 2-2 隐患治理区边坡情况



图 2-3 隐患治理区边坡情况

The image consists of ten horizontal black bars arranged vertically. The bars decrease in length from top to bottom. The first bar is the longest, followed by a shorter one, then a longer one, and so on, creating a visual pattern of alternating lengths.



图 2-4 隐患治理区道路情况



图 2-5 道路安全警示标志



图 2-6 截水沟




图 2-7 治理区东侧警戒线



图 2-8 治理区东侧警示标志

2.4.3 安全设施投入

3.隐患治理符合性评价



3.1 边坡隐患治理单元

3.1.1 安全检查表法评价

A large rectangular area of the page is heavily redacted with black ink, obscuring several rows of data from a safety checklist table.

3.1.2 隐患治理区边坡稳定性分析

3.2 开拓运输单元

3.3 防排水单元

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

3.4 其他内容单元

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

4. 安全对策措施建议

A horizontal bar chart illustrating the percentage of respondents who have heard of different topics. The y-axis lists the topics, and the x-axis represents the percentage from 0% to 100%. The bars are black.

Topic	Percentage
Healthcare	95%
Technology	92%
Finance	88%
Politics	85%
Entertainment	82%
Science	78%
Sports	75%
Food & Beverage	72%
Automotive	68%
Real Estate	65%
Automotive	62%
Automotive	58%
Automotive	55%
Automotive	52%
Automotive	50%
Automotive	48%
Automotive	45%
Automotive	42%
Automotive	40%
Automotive	38%
Automotive	35%
Automotive	32%
Automotive	30%
Automotive	28%
Automotive	25%
Automotive	22%
Automotive	20%
Automotive	18%
Automotive	15%
Automotive	12%
Automotive	10%
Automotive	8%
Automotive	5%
Automotive	3%
Automotive	1%
Automotive	0%

5.评价结论

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

附 件

